

# INSTRUCTION MANUAL

## MOBILE REEL RACK CART SERIES



MNL-0053-A-1122

5101 S. Council Road, Suite 100 • Oklahoma City, Oklahoma 73179  
Toll Free: 888-873-4000 • Telephone: 405-672-0000 • Fax: 405-672-7200  
Email: [sales@reelpower.com](mailto:sales@reelpower.com) • Website: [www.reelpowerind.com](http://www.reelpowerind.com)

# GENERAL INFORMATION

This manual is designed to serve as an instructional guide for your machine. The contents of this manual should be carefully read before attempting any phase of operation, or maintenance. Failure to follow the outlined procedures could result in personal injury or equipment damage.

All information, specifications, and illustrations within this manual are those in effect at the time of release.

**Reel Power Industrial™** reserves the right to change, or make improvements, without incurring any obligation to make changes or add improvements to products previously sold.

To facilitate maintenance, a spare parts list for the machine has been prepared and included within the manual. To request a quotation, place an order, or seek technical assistance, please contact Reel Power Industrial.

## Customer Service

For customer assistance, please have the model number and serial number of your machine available.

Contact Customer Service at: 800-221-7335

Copyright © 2021 Reel Power Industrial  
All rights reserved worldwide

Reel Power Industrial  
5101 S. Council Road, Suite 100, Oklahoma City, Oklahoma 73179  
Toll Free: 888-873-4000 / Telephone: 405-672-0000 / Fax: 405-672-7200  
Contact sales at: [sales@reelpower.com](mailto:sales@reelpower.com)  
Visit our website at: [www.reelpowerind.com](http://www.reelpowerind.com)



# WARRANTY

## LIMITED WARRANTY

The goods ordered and agreed to be furnished by Vendor are warranted against defects in material or workmanship for a period of one year following the date of shipment. Vendor's obligation under this warranty is limited to repair or replacement, at vendor's option, of the defective goods at Vendor's factory (point of shipment) and does not extend to goods other than those manufactured by Vendor. This warranty shall not apply to any goods which have been subject to misuse, negligence, accident, or attempted or unauthorized repair or modification or are considered by Vendor to be damaged as a result of normal "wear and tear". Vendor may provide technical information or advise to assist Customer in the proper application and utilization of goods, in which case Vendor disclaims all warranties, express or implied, including without limitation implied warranties of merchantability or fitness for a particular purpose, or compliance with governmental regulations to which customer is subject. Vendor warrants that for a period of one year beginning on the date of invoice, service labor by Vendor technicians shall be free from defects in workmanship. This warranty does not cover damage due to external causes including without limitation accidents, abuse, misuse, problems with electrical power, servicing not authorized by Vendor, usage not in accordance with product instructions, failure to perform required preventive maintenance and problems caused by use of parts and components not supplied by Vendor. Vendor's responsibility is limited to repair or replacement at Vendor's option, at its designated facility. This warranty does not cover replacement or repair of materials due to normal "Wear and Tear."

OTHER THAN AS SPECIFICALLY SET FORTH ABOVE IN THIS SECTION 15, VENDOR MAKES NO EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ON GOODS OBTAINED FROM VENDOR, AND VENDOR DISCLAIMS ALL SUCH WARRANTIES. FURTHERMORE, NO PERSONNEL OF VENDOR ARE AUTHORIZED TO MAKE WARRANTIES OF ANY NATURE, VERBALLY OR OTHERWISE. ANY ADDITIONAL WARRANTIES MUST BE MADE IN WRITING AND SIGNED BY AUTHORIZED PERSONNEL OF VENDOR IN ORDER TO BE BINDING UPON VENDOR.

## LIMITATION OF WARRANTY

IN NO EVENT, SHALL VENDOR BE LIABLE FOR ANY SPECIAL, INDIRECT, EXEMPLARY, INCIDENTAL, CONSEQUENTIAL, OR PUNITIVE LOSSES OR DAMAGES (INCLUDING, WITHOUT LIMITATION, BUSINESS INTERRUPTION, LOST REVENUE OR PROFITS, FEES OR FINES), EVEN IF VENDOR HAS BEEN ADVISED OR MADE AWARE OF THE POSSIBILITY OF ANY SUCH LOSSES OR DAMAGES AND REGARDLESS OF WHETHER THE CLAIM IS BASED ON CONTRACT, TORT, STRICT LIABILITY, OR OTHER THEORY OF LIABILITY. VENDOR'S CUMULATIVE LIABILITY FOR ALL LOSSES AND DAMAGES UNDER THESE TERMS (INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING UNDER A THEORY OF CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY, EXPRESS OR IMPLIED WARRANTIES, ETC.) SHALL NOT EXCEED (A) IN THE CASE OF ANY SERVICES PROVIDED OR TO BE PROVIDED BY VENDOR, THE AMOUNT OF THE FEES PAYABLE BY CUSTOMER FOR SUCH SERVICES, AND (B) IN THE CASE OF ANY GOODS PROVIDED OR TO BE PROVIDED BY VENDOR, THE FULL AMOUNT OF VENDOR'S LABOR AND/OR SERVICES ASSOCIATED WITH THE SALE OF THE GOODS.

# WARRANTY

## WARRANTY REPLACEMENT PARTS PROCESS

Please note, Reel Power Industrial's responsibility is limited to furnishing the customer replacement parts at no cost. The customer is responsible for outward shipping costs, labor to remove and install the part.

The customer may choose to send the reportedly defective part to The Seller for inspection, freight prepaid. Upon inspection, The Seller will either send a new replacement part, return repaired part, freight prepaid, or, if part found non-defective, return the part to customer, freight collect.

If the part is required immediately, a replacement part may be shipped to customer immediately. A customer purchase order is required prior to shipment of warranty replacement parts. The replacement part will be shipped via customer specified freight service, freight collect. The customer is required to return the reportedly defective parts to Oklahoma City, Oklahoma at The Seller's expense, per The Seller's specified freight carrier. When the part(s) is received, inspected, and the manufacturer's defect is confirmed, the invoice for the warranty part will be credited. If no defect is found, the original part will be returned to the customer, freight collect and an invoice against the customer's PO will be issued for the replacement part already sent.

# ASSEMBLY INSTRUCTIONS

## GENERAL DESCRIPTION


Mobile Reel Rack cart, load capacity 2,000 lbs +, 3" solid steel construction, double sided loading, one to four reel levels per side, fixed wheels and rotating castors, push handles for maneuvering, galvanized storage tray, axle brackets with bearings are available.

## SPECIFICATIONS

Model	Dimensions	Standard Axle	Fixed Wheels and Rotating Casters
Reel Rack - 59	6' H x 3' D x 6' W	2.0"	4" x 2"
Reel Rack - 60	5' H x 2' D x 4' W	2.0"	4" x 2"
Reel Rack - 61	4' H x 2' D x 4' W	1.375"	4" x 2"

# ASSEMBLY INSTRUCTIONS

SEE PARTS LIST ON PAGE 7



All pictures are for illustration purposes only. Due to product enhancements all actual products may vary. Configuration of Mobile Reel Rack Cart series is a trademark of Reel Power.

# ASSEMBLY INSTRUCTIONS

## PARTS LIST

ITEM	PART NO.	REEL RACK 59	QTY
4	1499-374	REEL RACK FRONT FRAME AXLE 2.00"	4
5	1499-111	REEL RACK CROSS BEAM	4

ITEM	PART NO.	REEL RACK 60	QTY
4	1499-197	REEL RACK FRONT FRAME AXLE 2.00"	4
6	1499-105	REEL RACK CROSS BEAM	4
8	1499-318	REEL RACK GALVANIZED SHELF PAN	3
8	1499-180	REEL RACK UPRIGHT 6.00 FT TALL X	2

ITEM	PART NO.	REEL RACK 61	QTY
1	1499-436	BAR, RD CRS 2"	4
2	10925-36	CASTER, 4" PHENOLIC FIXED	2
3	10925-118	CASTER, 4-41-9-339 BRK3 4 X 2	2
4	1499-111	REEL RACK FRONT FRAME AXLE 1.375"	4
5	1499-374	REEL RACK CROSS BEAM	4
6	1499-318	REEL RACK GALVANIZED SHELF PAN	3
7	1499-230	REEL RACK PUSH HANDLE 36.00 INCH	2
8	1499-180	REEL RACK UPRIGHT 6.00 FT TALL X	2
9	13987-013	NUT NYLOC HEX 3/8-16 UNC GR 2	16
10	13987-017	NUT NYLOC HEX 1/2-13 UNC GR 2	40
11	25401-00248	HHCS 3/8-16 UNC X 1/4" GR 5	16
12	25401-00465	HHCS 1/2-13 UNC X 1-1/4" GR 5 FULL THD	40

**REELPOWER**  
*INDUSTRIAL*